

PADLOCKS

Brass Body Padlocks




Stocked with a conventional Schlage key in knob 6 pin (keyed 5) solid brass cylinder in C, E or F keyways, keyed differently or 0 bitted. Since Kryptonite by Schlage padlocks accept conventional Schlage cylinders, they can be assembled with any Schlage, Everest or Primus keyway. Also available in solid steel or chrome plated brass (small format I/C only) on F/O.

- Solid brass body resists corrosion for all weather performance
- Molybdenum hardened steel shackle offers greater cut resistance
- Double deadbolt locking mechanism provides extra security
- Patented interchangeable shackle design allows for easy disassembly
- Meets or exceeds ASTM standard for standard steel shackle, shackle cutting and corrosion resistance

Body Size: 1²⁵/₃₂" W × 2³/₁₆" H × 7/8" D

Part No.	Shackle Dimensions		
	A	B	C
KRY KS23AP 606 034 C KD	5/16"	3/4"	3/4"
KRY KS23AP 606 034 C 0 BIT	5/16"	3/4"	3/4"
KRY KS23AP 606 034 E KD	5/16"	3/4"	3/4"
KRY KS23AP 606 034 E 0 BIT	5/16"	3/4"	3/4"
KRY KS23AP 606 034 F KD	5/16"	3/4"	3/4"
KRY KS23AP 606 034 F 0 BIT	5/16"	3/4"	3/4"
KRY KS23DP 606 112 C KD	5/16"	1 1/2"	3/4"
KRY KS23DP 606 112 C 0 BIT	5/16"	1 1/2"	3/4"
KRY KS23DP 606 112 E KD	5/16"	1 1/2"	3/4"
KRY KS23DP 606 112 E 0 BIT	5/16"	1 1/2"	3/4"
KRY KS23DP 606 112 F KD	5/16"	1 1/2"	3/4"
KRY KS23DP 606 112 F 0 BIT	5/16"	1 1/2"	3/4"
KRY KS23FP 606 200 C KD	5/16"	2"	3/4"
KRY KS23FP 606 200 C 0 BIT	5/16"	2"	3/4"
KRY KS23FP 606 200 E KD	5/16"	2"	3/4"
KRY KS23FP 606 200 E 0 BIT	5/16"	2"	3/4"
KRY KS23FP 606 200 F KD	5/16"	2"	3/4"
KRY KS23FP 606 200 F 0 BIT	5/16"	2"	3/4"
KRY KS23GP 606 400 C KD	5/16"	4"	3/4"
KRY KS23GP 606 400 C 0 BIT	5/16"	4"	3/4"
KRY KS23GP 606 400 E KD	5/16"	4"	3/4"
KRY KS23GP 606 400 E 0 BIT	5/16"	4"	3/4"
KRY KS23GP 606 400 F KD	5/16"	4"	3/4"
KRY KS23GP 606 400 F 0 BIT	5/16"	4"	3/4"



Body Size: 1¹⁵/₁₆" W × 2³/₁₆" H × 7/8" D

Part No.	Shackle Dimensions		
	A	B	C
KRY KS43AP 606 034 C KD	3/8"	3/4"	3/4"
KRY KS43AP 606 034 C 0 BIT	3/8"	3/4"	3/4"
KRY KS43AP 606 034 E KD	3/8"	3/4"	3/4"
KRY KS43AP 606 034 E 0 BIT	3/8"	3/4"	3/4"
KRY KS43AP 606 034 F KD	3/8"	3/4"	3/4"
KRY KS43AP 606 034 F 0 BIT	3/8"	3/4"	3/4"
KRY KS43DP 606 112 C KD	3/8"	1 1/2"	3/4"
KRY KS43DP 606 112 C 0 BIT	3/8"	1 1/2"	3/4"
KRY KS43DP 606 112 E KD	3/8"	1 1/2"	3/4"
KRY KS43DP 606 112 E 0 BIT	3/8"	1 1/2"	3/4"
KRY KS43DP 606 112 F KD	3/8"	1 1/2"	3/4"
KRY KS43DP 606 112 F 0 BIT	3/8"	1 1/2"	3/4"
KRY KS43FP 606 200 C KD	3/8"	2"	3/4"
KRY KS43FP 606 200 C 0 BIT	3/8"	2"	3/4"
KRY KS43FP 606 200 E KD	3/8"	2"	3/4"
KRY KS43FP 606 200 E 0 BIT	3/8"	2"	3/4"
KRY KS43FP 606 200 F KD	3/8"	2"	3/4"
KRY KS43FP 606 200 F 0 BIT	3/8"	2"	3/4"
KRY KS43GP 606 400 C KD	3/8"	4"	3/4"
KRY KS43GP 606 400 C 0 BIT	3/8"	4"	3/4"
KRY KS43GP 606 400 E KD	3/8"	4"	3/4"
KRY KS43GP 606 400 E 0 BIT	3/8"	4"	3/4"
KRY KS43GP 606 400 F KD	3/8"	4"	3/4"
KRY KS43GP 606 400 F 0 BIT	3/8"	4"	3/4"

Kryptonite by Schlage Shackles

For KS20 Series

For KS40 Series

Part No.	Length	Part No.	Length
KRY KZ11A20	-----3/4"	KRY KZ11A40	-----3/4"
KRY KZ11D20	-----1 1/2"	KRY KZ11D40	-----1 1/2"
KRY KZ11F20	-----2"	KRY KZ11F40	-----2"
KRY KZ11G20	-----4"	KRY KZ11G40	-----4"

PADLOCKS/CHAIN

Brass Interchangeable Core Padlocks



- Solid brass body resists corrosion for all weather performance
- Hardened steel shackle offers greater cut resistance
- Double deadbolt locking mechanism provides extra security
- Prepared for Schlage full size interchangeable core, will accept Primus cores
- Supplied less core

Body Size: 2" W x 2 1/4" H x 7/8" D

Part No.	Shackle Dimensions		
	A	B	C
KRY PL4001J	3/8"	1 1/8"	3/4"
KRY PL4002J	3/8"	2"	3/4"
KRY PL4003J	3/8"	3"	3/4"

When supplied with Primus Core, the Part Number is: KRY PL4741

Shrouded Steel Padlocks



Stocked with a conventional Schlage key in knob 6 pin (keyed 5) solid brass cylinder in C keyway, keyed differently or 0 bitted. Since Kryptonite by Schlage padlocks accept conventional Schlage cylinders, they can be assembled with any Schlage, Everest or Primus keyway. Also available prepared for small format 7 pin interchangeable core on factory order.

- Case hardened solid steel body resists impact
- Shrouded molybdenum hardened shackle provides increased cut resistance
- Double deadbolt locking mechanism provides extra security
- Patented interchangeable shackle design allows for easy disassembly
- Meets or exceeds ASTM standards for standard steel shackle, shackle cutting and corrosion resistance.

Body Size: 1 13/16" W x 37/16" H x 1 3/32" D

Part No.	Shackle Dimensions		
	A	B	C
KRY KS82MP 652 100 C KD	5/16"	1"	3/4"
KRY KS82MP 652 100 C 0 BIT	5/16"	1"	3/4"

Body Size: 2 1/8" W x 37/16" H x 1 3/32" D

Part No.	Shackle Dimensions		
	A	B	C
KRY KS92MP 652 100 C KD	3/8"	1"	3/4"
KRY KS92MP 652 100 C 0 BIT	3/8"	1"	3/4"

Round Body Steel Padlocks



Stocked with a conventional Schlage key in knob 6 pin (keyed 5) solid brass cylinder in C keyway, keyed differently or 0 bitted. Since Kryptonite by Schlage padlocks accept conventional Schlage cylinders, they can be assembled with any Schlage, Everest or Primus keyway. Also available prepared for small format pin interchangeable core on factory order.

- Case hardened solid steel body resists impact
- Shrouded molybdenum hardened shackle provides increased cut resistance
- Double deadbolt locking mechanism provides extra security
- Patented interchangeable shackle design allows for easy disassembly
- Meets or exceeds ASTM standards for standard steel shackle, shackle cutting and corrosion resistance

Part No.	Shackle Dimensions		
	A	B	C
KRY KS72MP 652 100 C KD	7/16"	1"	7/8"
KRY KS72MP 652 100 C 0 BIT	7/16"	1"	7/8"
KRY KS72FP 652 200 C KD	7/16"	2"	7/8"
KRY KS72FP 652 200 C 0 BIT	7/16"	2"	7/8"

Safety Chain



- Chain made from triple heated Boron Manganese steel
- Unique trapezoidal shaped link resists attacks from bolt cutters, saws, hammers and chisels
- Features a KS72F2300 solid steel round padlock

Part No. Length
KRY KX16 -----41"

CABLE LOCKS/U-LOCK

Locking Cables



Stocked with a conventional Schlage key in knob 6 in (keyed 5) solid brass cylinder in C keyway, keyed differently. Since Kryptonite by Schlage cables accept conventional Schlage cylinders, they can be assembled with any Schlage, Everest or Primus keyway. Also available prepared for small format 7 pin interchangeable core n factory order.

- Braided steel vinyl coated cable provides greater cut resistance than twisted cable
- Integrated die cast zinc locking head

Part No.	Length	Diameter
KRY KC215E220 C KD	6'	5/8"
KRY KC220E220 C KD (F/O)	6'	3/4"

Key Cable — 5'



Features

- Flexible steel cable
- Vinyl coated, weatherproof
- Tough integrated lock head increases ease of use
- Snap-shut design for easy lock-up
- Self coiling

Specifications

- 5' Long
- 1/2" Diameter
- Includes two coded flat keys
- Smoke gray, black & yellow
- 5 per box

Part No.: KRY 830139

Resettable Combination Lock Cable — 5'



Features

- Self coiling flexible steel cable
- Vinyl coated, weatherproof
- Tough integrated 4-digit resettable combination lock
- Combinations can be personally set and reset quickly and easily
- Indexed number dials click into place for error-free combination setting

Specifications

- 5' Long
- 3/8" Diameter
- Setting pin included
- Smoke gray, black & yellow

Part No.: KRY 830207

Flexible Steel Cable — 7'



Features

- Flexible braided-steel cable with double-loop design for serious security
- Vinyl coated, weather resistant
- More flexibility and more steel per inch than twisted-strand cable allows for easier lock up

Specifications

- 7' Length
- 5/8" Diameter
- Smoke gray and yellow

Part No.
KRY 820406

Flexible Steel Cable



Features

- Braided steel allows for more flexibility
- More steel per inch than twisted strand cable
- Vinyl coated, weather resistant
- Double loop design

Specifications

- 3/8" Diameter
- Smoke gray and yellow

Part No.	Length
KRY 830405	7'
KRY 830412	15'

U-Lock



Features

- Case-hardened carbon steel shackle, extra long
- Vinyl coated, weatherproof
- Patented overhead cam locking mechanism and "bent foot" design for strength and security

Specifications

- 4" x 11 1/2"
- 1/2" Diameter shackle
- 7-pin, pick and drill-resistant tubular locking mechanism
- Black and yellow
- 10 per box

Part No.: KRY 830603