


STANDARDS & BRACKETS


80 Standard



- For use with 180 bracket
- 5/8"W × 13/32"H × selected length
- 16-gauge steel construction
- Adjustable on 1" centers
- Packed 10 per box
- Anochrome finish

Part No.	Length
KVE 80 ANO 36	36"
KVE 80 ANO 48	48"
KVE 80 ANO 72	72"
KVE 80 ANO 96	96"

180 Bracket



- For use with 80 standard
- 16-gauge steel construction
- Adjustable on 1" centers
- Packed 10 per box
- Anochrome finish

Part No.	Length
KVE 180 ANO 8	8"
KVE 180 ANO 10	10"
KVE 180 ANO 12	12"
KVE 180 ANO 14	14"
KVE 180 ANO 16	16"

HEAVY-DUTY STANDARDS & BRACKETS

Anochrome Finish.

87 Standard



- For use with 186 or 187 bracket
- 7/8"W × 11/16"H × selected length
- 2" slot adjustment
- Heavy Duty 12-gauge steel
- Five per package

Part No.	Length
KVE 87 ANO 36	36"
KVE 87 ANO 48	48"
KVE 87 ANO 60	60"
KVE 87 ANO 72	72"
KVE 87 ANO 84	84"
KVE 87 ANO 96	96"

186 Bracket



- For use with 87 standard
- Heavy duty steel with single molded nylon cam lock lever
- Packed ten per box

Part No.	Length
KVE 186 LL ANO8	8"
KVE 186 LL ANO10	10"

187 Bracket




- For use with 87 standard
- Heavy Duty steel with single molded nylon cam lock lever
- Packed 10 per box

Part No.	Length
KVE 187 LL ANO 12	12"
KVE 187 LL ANO 14	14"
KVE 187 LL ANO 16	16"
KVE 187 LL ANO 18	18"
KVE 187 LL ANO 20	20"
KVE 187 LL ANO 24	24"

Shelf Rests


The #210, #211, and #212 Shelf Rests are recommended for use with the #186 and #187 Brackets for anchoring shelf to bracket and for joining two shelves on a single bracket.



KVE 210 ANO
End Rest



KVE 211 ANO
Center Rest




KVE 212 ANO
Front Rest

DOUBLE-SLOT STANDARDS & BRACKETS

Anochrome Finish.

85 Double-Slot Standard



- For use with 185 braces
- 1 1/4"W x 1/2"H x selected length
- Designed for long runs of shelving
- Double Slotted 16-gauge steel
- 10 per package

Part No.	Length
KVE 85 ANO 24	24"
KVE 85 ANO 36	36"
KVE 85 ANO 48	48"
KVE 85 ANO 72	72"
KVE 85 ANO 96	96"

185 Bracket




- For use with 85 standard
- Double Bracket
- Packed 10 per box

Part No.	Length
KVE 185 ANO 8	8"
KVE 185 ANO 10	10"
KVE 185 ANO 12	12"
KVE 185 ANO 14	14"
KVE 185 ANO 16	16"
KVE 185 ANO 18	18"
KVE 185 ANO 24	24"

STEEL STANDARDS & BRACKETS


83 Oversize Standard



- For use with 183 bracket
- 3/4"W x 1/2"H x selected length
- 16 gauge steel
- 10 pieces per pack

Part No.	Length
KVE 83 ANO 48	48"
KVE 83 ANO 72	72"

183 Flange Bracket



- For use with 83 standard
- Packed 10 per box; LH and RH packed separately

Part No.	Length
KVE 183L ANO 8	8"
KVE 183R ANO 8	8"
KVE 183L ANO 12	12"
KVE 183R ANO 12	12"
KVE 183L ANO 14	14"
KVE 183R ANO 14	14"
KVE 183L ANO 18	18"
KVE 183R ANO 18	18"

PILASTER STANDARDS

- Pilaster for built-in shelving and bookcase applications
- Adjustable on 1/2" centers
- Selected numbers also available in retail merchandisers
- 100 pieces per carton

233 Standard



- 19 gauge steel
- Zinc finish
- 13/16"W x 3/16"H

Part No.	Length
KVE 233 ZC 48	48"
KVE 233 ZC 72	72"
KVE 233 ZC 96	96" F/O


255 Standards



- 19 gauge steel
- Zinc finish
- 5/8"W x 3/16"H


Part No.	Length
KVE 255 ZC 18	18"
KVE 255 ZC 24	24"
KVE 255 ZC 36	36"
KVE 255 ZC 48	48"
KVE 255 ZC 60	60"
KVE 255 ZC 72	72"
KVE 255 ZC 96	96"

SHELF SUPPORTS




- 3/4 x 9/16"
- For #233 and #255 Pilaster Standards
- Box of 100

Part No.	Description
KVE 256 ZC	Clip
KVE 256 AL-WAL	Clip
KVE 256 BR	Clip



- For use with #233 standards
- 1 x 13/16"
- Zinc plated finish

Part No.
KVE 237 ZC



- Zinc plated Steel


Part No.
KVE 239 ZC

SHELF SUPPORTS



- For drilled holes in bookcases and showcases
- Brass-look steel or nickel plate
- Pin diameter 1/4 x 3/8"
- 100 supports per box

Part No.
KVE 346ANO
KVE 346 BR



- Zinc plated steel
- Pin diameter 7/32 x 1/2"
- Use 5/16" drill
- 1000 per box

Part No.
KVE 333 ZC

CLOSET STORAGE AIDS

For the efficient, custom-designed closet

Knappe & Vogt Closet Storage Aids are great for both upscale home and commercial applications where space and economy of movement is important.

Utility Hooks

Anochrome Finish



A sturdy hook for commercial use.

- Packed 12 per box, with screws

Part No.	Length
KVE 1132 ANO 4	4"
KVE 1132 ANO 6	6"




A sturdy steel rod for extra hanging space.

- Packed 10 per box, with screws

Part No.	Length
KVE PKV 3 ANO 5 1/2	5 1/2"
KVE PKV 3 ANO 10	10"

Garment Hook



Classic, institutional garment hook.

- 5 1/4" high with 3" projection
- Chrome finish
- Packed 10 per box, with screws

Part No.:
KVE P2038 CHR

Closet Rod




Heavy Duty Steel Tubing.

- Chrome-look finish
- Outside diameter of 1 1/16" or 1 5/16"
- Wall thickness of .109"
- Can be cut to specific lengths

Part No.	Outside Diameter	Lengths
KVE 770-1 12	1 1/16"	12'
KVE 770-1 10	1 1/16"	10'
KVE 770-1 8	1 1/16"	8'
KVE 770-1 6	1 1/16"	6'
KVE 770-5 12	1 5/16"	12'
KVE 770-5 10	1 5/16"	10'
KVE 770-5 8	1 5/16"	8'
KVE 770-5 6	1 5/16"	6'

FLANGES


All flanges feature chrome-look finish.



Fits tubing with 1 1/16" outside dia. (OD)

- Two screw holes on 2" centers
- Packed 50 per box w/ screws


Part No.:
KVE 734 CHR



Fits tubing with 1 1/16" OD

- Two screw holes on 2" centers
- Packed 50 per box w/ screws


Part No.:
KVE 735 CHR



Fits tubing with 1 5/16" OD

- Three holes spaced 1 1/8" from center
- Packed 12 per box w/ screws

Part No.:
KVE 764 CHR




Fits tubing with 1 5/16" OD

- Two holes on 2 1/4" centers, one at 90°
- Packed 12 per box w/ screws

Part No.:
KVE 766 CHR

MIRROR/GLASS HANGING HARDWARE

Mirror Clamps Glass Clip




Nickel plated steel glass clip for 1/4" glass. Punched for #6 RH screws.

- 1/2"W x 1/16" thick

Part No.:
KVE 288 ANO

Mirror Clips




- Clear plastic clips for 1/4" glass
- Packed 100 per box

Part No.:
KVE 6092 PLAS

DRAWER & CABINET HARDWARE

Tite-Joint Fastener



The KVE 516 Tite-Joint fastener is for use in 3/4" wood. The center to center dimension can be varied from 2" to 3 1/2". Tighten nut with tightening tool or nail set. Each pound of pressure on the tightening tool exerts 500 lbs. of force on the joint.

- Zinc plate finish except nut
- Packed 100 per box

Part No.:
KVE 516/100 ZC

FLUSH PULL

Mortised Pull




- Wrought brass, anochrome finish
- 1 3/4 x 3 1/4 x 9/16" deep
- 1/8" projection
- Packed 12 per box with screws

Part No.:
KVE 819X ANO

LATCHES & LOCKS


Secret Gate Latch



- Case size 2 x 2 3/8"
- Reversible
- Stocked in cast aluminum, clear coated and brass lacquer sprayed
- Packed 12 per box with screws

Part No.	Description
KVE 989 SPR BR	----- Spray Brass Gate Latch
KVE 989 ALUM	----- Natural Aluminum Gate Latch

Ratchet Lock



Adjustable lock for 1/4" glass sliding doors. Disc tumbler mechanism, with "pick-proof" bolt. Adjustable for overlaps of 1" to 3 3/8". Easily installed without cutting glass, and is removable at will.

- Bright nickel plated steel
- Packed one per box

Part No.:
KVE 965 KA50 NP