



**KWIKSET SECURITY LOCKS**



POLO (P)



TYLO (T)



KINGSTON (KNL)

*Specifications*

Door Prep: 2 1/8" crossbore, 1" edge bore, 1" x 2 1/4" latch face

Latch Backset: 2 3/8" square or round corner plainlatch on all interior functions. 2 3/8" and 2 3/4" adjustable square or round corner deadlatch on all exterior functions. Other options available

Door Thickness: Fits 1 3/8" to 1 3/4" doors. 2 1/4" optional on 200 and 400 functions only


Cylinder: 5-pin

Faceplates: 1" x 2 1/4" square or round corner stocked, specify. Other options available

Strikes: 2 1/4" high full lip square or round corner, specify. Other options available

Door Handling: Reversible for right or left handed door.

Bolt: 1/2" throw for all functions except 200 and 300, which are 3/8" throw



Design	A	B	C
Polo	2 5/8"	2 3/4"	1 7/8"
Tylo	2 5/8"	2 3/8"	1 7/8"

Tylo Knob	Package	Latch & Strike Corners
KWK 200T US3	Boxed	Square
KWK 200T CP US3	Carded	Square
KWK 200T US3 RCL-RCS	Boxed	Round
KWK 200T US5	Boxed	Square
KWK 200T CP US5	Carded	Square
KWK 200T US5 RCL-RCS	Boxed	Round
KWK 200T US26D	Boxed	Square
KWK 300T US3	Boxed	Square
KWK 300T CP US 3	Carded	Square
KWK 300T US3 RCL-RCS	Boxed	Round
KWK 300T 3 X 26 RCL-RCS	Boxed	Round
KWK 300T US5	Boxed	Square
KWK 300T CP US5	Carded	Square
KWK 300T US5 RCL-RCS	Boxed	Round
KWK 300T 5 X 26 RCL-RCS	Boxed	Round
KWK 400T US3	Boxed	Square
KWK 400T CP US 3	Carded	Square
KWK 400T US3 RCL-RCS	Boxed	Round
KWK 400T US3 RFL	Boxed	Drive-In Latch, Sq. Strike
KWK 400T US3 NOL	Boxed	No Latch
KWK 400T US5	Boxed	Square
KWK 400T CP US5	Carded	Square
KWK 400T US5 RCL-RCS	Boxed	Round
KWK 400T US5 NOL	Boxed	No Latch
KWK 400T US26D	Boxed	Square
KWK 401T US3	Boxed	Square
KWK 401T US5	Boxed	Square
KWK 488T US3	Boxed	No Latch or Strike
KWK 488T US5	Boxed	No Latch or Strike

Polo Knob	Package	Latch & Strike Corners
KWK 200P US3 RCL-RCS	Boxed	Round
KWK 200P US5 RCL-RCS	Boxed	Round
KWK 200P US15 RCL-RCS	Boxed	Round
KWK 200P US15A RCL-RCS	Boxed	Round
KWK 300P US3 RCL-RCS	Boxed	Round
KWK 300P US5 RCL-RCS	Boxed	Round
KWK 300P US15 RCL-RCS	Boxed	Round
KWK 300P US15A RCL-RCS	Boxed	Round
KWK 400P US3 RCL-RCS	Boxed	Round
KWK 400P US5 RCL-RCS	Boxed	Round
KWK 400P US15 RCL-RCS	Boxed	Round
KWK 400P US15A RCL-RCS	Boxed	Round
KWK 488P US3	Boxed	No Latch or Strike
KWK 488P US5	Boxed	No Latch or Strike
KWK 488P US15	Boxed	No Latch or Strike
KWK 488P US15A	Boxed	No Latch or Strike

Kingston Lever	Latch & Strike Corners
KWK 200KNL US3 RCL-RCS	Round
KWK 200KNL US26D RCL-RCS	Round
KWK 300KNL US3 RCL-RCS	Round
KWK 300KNL US26D RCL-RCS	Round
KWK 405KNL US3 RCL-RCS	Round
KWK 405KNL US26D RCL-RCS	Round
KWK 462KNL US3 RCL-RCS	Round
KWK 462KNL US26D RCL-RCS	Round

*Functions*



*Hall & Closet*

KWK 200: Passage lockset. For all interior doors where a simple latch is all that is required. Plain knob on both sides. Turning either knob will retract latchbolt at all times to open door. ANSI F75.



*Bed & Bath*

KWK 300: Privacy lockset. For bedroom and bathroom doors. Turn button on interior knob. Turn button locks both knobs. Lock may be opened by emergency entry key in exterior knob. ANSI F76.

*Bathroom*

KWK 300: Same function as 300 Bed & Bath except US26 finish on interior knob.



*Entry*

KWK 400: Entry lockset. Keyed exterior, turn button interior. Exterior and interior will lock or unlock both knobs. ANSI F82.


KWK 401: Keyed exterior. Interior knob is always independent turning and will open whether exterior is locked or unlocked. ANSI F81.



*Dummy*

KWK 488: For doors where only a pull is required.


**Combo Pack**



KWK 690T  
Includes Tylo 400 entry lockset with 660 single cylinder deadbolt.

Combo Pack	Package	Latch & Strike Corners
KWK 690T CP US3	Carded	Round
KWK 690T US3	Box	Square

**KWIKSET MAXIMUM SECURITY LOCKS**



*Features*

- Exceptional quality and value with the fit, feel and improved durability of a premium lever
- Fits standard door preparations

*Specifications*

Door Prep: 2 1/8" Crossbore, 1" Edgebore, 1" x 2 1/4" Latch Face

Backset: 2 3/8" and 2 3/4" adjustable square or round corner

Door Thickness: 1 3/8" to 1 3/4" doors

Cylinder: Entry functions use feature 5-pin cylinders

Faceplate: 1" x 2 1/4" square or round corner standard

Strike: 2 1/4" square or round corner standard

Door Handing: Specify right or left handed door for Lido lever. All other models are non-handed

ANSI: A156.2 Grade 2, except Bel Air: Grade 3

**All Box Pack**

<b>Delta Lever</b>	<b>Latch &amp; Strike Corners</b>
KWK 200DL US3 RCL-RCS	-----Round
KWK 200DL US5 RCL-RCS	-----Round
KWK 2000L US26D	-----Square
KWK 300DL US3 RCL-RCS	-----Round
KWK 300DL US 5 RCL-RCS	-----Round
KWK 400 DL US3 RCL-RCS	-----Round (with Copa exterior knob)
KWK 400 DL US5 RCL-RCS	-----Round (with Copa exterior knob)
KWK 405DL US3	-----Square
KWK 488DL US3	-----None

<b>Dorian Lever</b>	<b>Latch &amp; Strike Corners</b>
KWK 200DNL US3 RCL-RCS	-----Round
KWK 200DNL US15 RCL-RCS	-----Round
KWK 200 DNL US15A RCL-RCS	-----Round
KWK 300DNL US3 RCL-RCS	-----Round
KWK 300DNL US15 RCL-RCS	-----Round
KWK 300 DNL US15A RCL-RCS	-----Round
KWK 405DNL US3	-----Square
KWK 405DNL US15 RCL-RCS	-----Round
KWK 405DNL US15A RCL-RCS	-----Round
KWK 488DNL US15	-----None
KWK 488DNL US15A	-----None

<b>Lido Lever</b>	<b>Latch &amp; Strike Corners</b>
KWK 200LL US3 LH RCL-RCS	-----Round
KWK 200LL US3 RH RCL-RCS	-----Round
KWK 300LL US3 LH RCL-RCS	-----Round
KWK 300LL US3 RH RCL-RCS	-----Round

<b>Lido Lever</b>	<b>Latch &amp; Strike Corners</b>
KWK 400LL US3 LH RCL-RCS	-----Round (with Copa exterior knob)
KWK 400LL US3 RH RCL-RCS	-----Round (with Copa exterior knob)
KWK 405LL US3 LH RCL-RCS	-----Round
KWK 405LL US3 RH RCL-RCS	-----Round

<b>Lido Lever</b>	<b>Latch &amp; Strike Corners</b>
KWK 488LL US3 LH	-----None
KWK 488LL US3 RH	-----None

<b>Bel Air Knob</b>	<b>Latch &amp; Strike Corners</b>
KWK 200B US3	-----Square
KWK 200B US5	-----Square
KWK 200B US26D	-----Square
KWK 300B US3	-----Square
KWK 300B 3 X 26	-----Square
KWK 300B US5	-----Square
KWK 300B 5 X 26	-----Square
KWK 300B US26D	-----Square
KWK 400B US3	-----Square
KWK 400B US5	-----Square
KWK 400B US26D	-----Square
KWK 450B US3	-----Square
KWK 450B US5	-----Square
KWK 450B US26D	-----Square

*Functions*



*Hall & Closet*

KWK 200: For interior doors where a simple latch is required. Plain lever both sides. ANSI F75.



*Bathroom or Bedroom*

KWK 300: Turn button on interior lever locks both levers. Emergency entry key opens both levers. US26 finish on interior lever on bathroom lock. ANSI F76.



*Entry*

KWK 400: Keyed exterior. Turn button interior will lock or unlock both exterior knob and interior lever. ANSI F82.



KWK 405: Keyed exterior. Turn button interior will lock or unlock both exterior and interior lever. ANSI F82.



*Dummy*

KWK 488: For doors where only a pull is required.


*Vestibule\**



KWK 450: Vestibule entry function. Keyed exterior plain independent turning interior knob. "Always Locked" exterior knob. When opening with key, knob remains in locked position when key is withdrawn. ANSI F86. \*Available in Bel Air knob only



*Vestibule KIL* — KWK 462: Keyed exterior plain independent turning interior knob. "Always Locked" exterior knob. When opening with key, knob remains in locked position when key is withdrawn. ANSI F86.

**KWIKSET SECURITY DEADBOLTS**




*Single Cylinder*  
 KWK 660: Key retracts bolt from exterior, turnpiece operates bolt from interior.

*Inside Thumbturn Only*  
 KWK 663



*Double Cylinder*  
 KWK 665: Key retracts from exterior and interior.



Design	A	B	C
KWK 660 Interior	2 1/2"	1 1/8"	1 3/4"
KWK 660 Exterior	2 1/2"	1 1/8"	
KWK 665 Interior	2 1/2"	1 1/8"	
KWK 665 Exterior	2 1/2"	1 1/8"	

*Specifications*

Door Prep: *660 Series* — 2 1/8" crossbore, 1" edge bore, 1" x 2 1/4" latch face

Latch Backset: *660 Series* — 2 3/8", 2 3/4" adjustable

Door Thickness: *660 Series* — Fits 1 3/8" to 1 3/4" doors

Cylinder: *660 Series* — 5-pin.

Faceplates: *660 Series* — 1" x 2 1/4" square corner standard

Strikes: *660 Series* — 1" x 2 1/4" square corner standard

Door Handing: Reversible for right or left handed doors

Deadbolt	Package	Latch & Strike Corners
KWK 660 US3	Boxed	Square
KWK 660 CP US3	Carded	Round
KWK 660 US3 RCL-RCS	Boxed	Round
KWK 660 US3 RFL	Boxed	Drive-in bolt, sq. strike
KWK 660 US3 NOL	Boxed	No Bolt
KWK 660 US5	Boxed	Square
KWK 660 CP US5	Carded	Round
KWK 660 US5 RCL-RCS	Boxed	Round
KWK 660 US5 NOL	Boxed	No Bolt
KWK 660 US15 RCL-RCS	Boxed	Round
KWK 660 US15A RCL-RCS	Boxed	Round
KWK 660 US26D	Boxed	Square
KWK 663 CP US3	Carded	Round

KWK 663 CP US5	Carded	Round
KWK 665 US3	Boxed	Square
KWK 665 CP US3	Carded	Round
KWK 665 US3 RCL-RCS	Boxed	Round
KWK 665 US5	Boxed	Square
KWK 665 CP US5	Carded	Round
KWK 665 US5 RCL-RCS	Boxed	Round
KWK 665 US26D	Boxed	Square

**KWIKSET SECURITY HANDLESETS**

**600 Series**



FARMINGTON  
687

DAKOTA  
687

*Specifications*

Door Prep: *Deadbolt* — 2 1/8" crossbore, 1" edge bore, 1" x 2 1/4" latch face.

*Plainlatch* — 2 1/8" crossbore, 1" edge bore, 1" x 2 1/4" latch face

Backset: *Deadbolt* — 2 3/8", 2 3/4" adjustable round corner deadbolt.

*Plainlatch* — 2 3/8", 2 3/4" adjustable round corner plainlatch.

Door Thickness: 1 3/4" doors standard. 2 1/4" optional

Cylinder: 5-pin Zamac cylinder

Faceplates: 1" x 2 1/4" round corner


Strikes: *Deadbolt* — 1" x 2 1/4" round corner

*Plainlatch* — 2 1/4" full lip round corner

Bolt: *Deadbolt* — 1" throw

*Plainlatch* — 1/2" throw

Door Handing: Reversible for right or left handed doors  
 Specify right or left handed door for all levers used for interior trim



Design	A	B	C	D
Dakota	2 1/4"	5 1/2"	8 13/32"	17 5/8"
Farmington	2 9/16"	5 1/2"	8 13/32"	17 7/16"

*Keyed Handleset Exterior Only*

Dakota	Latch & Strike Corners
KWK 687DA US3 RCL-RCS LIP	Round
KWK 687DA US5 RCL-RCS LIP	Round
KWK 687DA US15 RCL-RCS LIP	Round
KWK 687DA US15A RCL-RCS LIP	Round
Farmington	Latch & Strike Corners
KWK 687FN US5 RCL-RCS LIP	Round

*Dummy Handleset Exterior Only – Dakota Design*

Part No.
KWK 699DA US3 LIP
KWK 699DA US15 LIP
KWK 699DA US15A LIP

*Functions*



*Sectional Handleset with Cylinder Deadbolt and Matching Trim*


KWK 687: Thumbpiece operates latch from exterior. Nonlocking knob or lever operates latch from interior. Key operates deadbolt from exterior, turnpiece operates deadbolt from interior.



*Dummy Handleset*

KWK 699: Use as a pull only. For use in the inactive leaf of a set of double doors.


**600 Series Interior Trim Packs**



BEL AIR




TYLO



POLO



LAUREL



DORIAN LEVER

Single cylinder	Description*
KWK 604B US3	Bel Air Knob
KWK 604DNL US15	Dorian Lever
KWK 604DNL US15A	Dorian Lever
KWK 604L US15	Laurel Knob
KWK 604L US15A	Laurel Knob
KWK 604P US3	Polo Knob
KWK 604P US5	Polo Knob
KWK 604P US15	Polo Knob
KWK 604P US15A	Polo Knob
KWK 604T US3	Tylo Knob
KWK 604T US5	Tylo Knob

*Also available with interconnected interior trim. See Following Pages*

Dummy	Description
KWK 606DNL US15	Dorian Lever
KWK 606DNL US15A	Dorian Lever
KWK 606P US15	Polo Knob
KWK 606P US15A	Polo Knob
KWK 606L US15	Laurel Knob
KWK 606L US15A	Laurel Knob
KWK 606T US3	Tylo Knob

*Double Cylinder available on F/O – Part No. KWK 605 (Specify design and finish)*

**Kwikset Powerbolt 1000**


*The Easy, Keyless Way to Open a Door*



- Electronic touchpad control
- Heavy duty security deadbolt and strike plate
- Electronic digital power board
- Easily replaces existing deadbolt (requires 2 1/8" bore)
- No wiring necessary (requires 4 AA Alkaline batteries not included)
- Operates with a 4 to 8 digit code
- 2 code capacity
- Alarm sounds after 3 consecutive incorrect codes are entered

**Part No.**  
KWK 907 L03

**KWIKSET ULTRAMAX**



KWK 780

KWK 785

KWK 980

*Specifications*

Door Prep: 2 1/8" or 1 1/2" crossbore standard. 1" edge bore, 1" x 2 1/4" latch face

Backset: Adjustable deadbolt latch (standard) fits 2 3/8" or 2 3/4"

Door Thickness: 780, 785 – 1 3/8" to 1 3/4" standard. 1 7/8" to 2 1/4" optional  
980, 985 – 1 3/4" standard

Cylinder: 780, 785 – 6-pin cylinder. Front removable cylinder with rekeying tool standard in box pack, not included in clear pack  
980, 985 – 6-pin. Includes 3 anti-lock top pins


Faceplates: 1" x 2 1/4" square corner standard

Strikes: Maximum security 1 1/4" x 3 5/8" square corner strike standard

ANSI/BHMA: 780, 785 – A156.5, Grade 2  
980, 985 – A156.5, Grade 1

Available in Lifetime polished Brass Finish (Specify L03)

Design	A	B	C
780 Interior	2 5/8"	1 1/16"	1 15/16"
780 Exterior	2 5/8"	1 5/32"	
785 Interior	2 5/8"	1 5/32"	
785 Exterior	2 5/8"	1 5/32"	
980 Interior	2 9/16"	1 5/32"	1 13/16"
980 Exterior	2 5/8"	1 1/16"	
985 Interior	2 5/8"	1 1/16"	
985 Exterior	2 5/8"	1 1/16"	



Single Cylinder	Package	Latch & Strike Corners
KWK 780 US3	Boxed	Square
KWK 780 L03	Boxed	Square
KWK 780 US5	Boxed	Square
KWK 780 US10B RCL-RCS	Boxed	Round
KWK 780 US15	Boxed	Square
KWK 780 US15 RCL-RCS	Boxed	Round
KWK 780 US15A RCL-RCS	Boxed	Round
KWK 780 US26D	Boxed	Square
KWK 980 US3	Boxed	Square
KWK 980 US3 RCL-RCS	Boxed	Round
KWK 980 L03	Boxed	Square

Double Cylinder – All Boxed, Latch & Strike Corners	
KWK 785 US3	Square
KWK 785 L03	Square
KWK 785 US5	Square
KWK 785 US10B RCL-RCS	Round
KWK 785 US15A	Square
KWK 785 US26D	Square

*Functions*



*Single Cylinder*

KWK 780, 980: Key operates bolt from exterior; turn-piece operates bolt from interior. ANSI E0152.



*Double Cylinder*

KWK 785, 985: Key operates bolt from exterior and interior. ANSI E0142.

**KWIKSET ULTRAMAX SECURITY**



ABBEY (A)

CIRCA (CA)



HANCOCK (H)

LAUREL (L)

*Specifications*

Door Prep: 2 1/8" crossbore, 1" edge bore, 1" x 2 1/4" latch face

Backset: 2 3/8" and 2 3/4" adjustable

Door Thickness: Fits 1 3/8" to 1 3/4" doors, except 701 1 3/8" to 1 5/8"

Cylinder: 6-pin


Faceplates: 1" x 2 1/4" square corner standard. Other options also available

Strikes: 2 1/4" high full lip square corner standard. Round corner strikes optional in clear pack and box pack. Other options available in box pack only

Door Handing: Reversible for right or left handed doors

Bolt: 1/2" throw. Nickel plated

ANSI Standard: A156.2 Grade 2



Design	A	B	C
Abbey	2 5/8"	2 3/4"	2 1/32"
Cortez	2 5/8"	2 3/4"	2 1/8"
Circa	2 5/8"	2 3/4"	2 1/8"
Hancock	2 5/8"	2 3/4"	2 3/8"
Laurel	2 5/8"	2 5/8"	2 7/16"

All items supplied in box pack

Abbey Knob	Latch & Strike Corners
KWK 701A US3	Square
KWK 720A US3	Square
KWK 730A US3	Square
KWK 740A US3	Square
KWK 740A US3 RCL-RCS	Round
KWK 740A L03	Square
KWK 740A US26D	Square
KWK 741A US3	Square

- KWK 744A US3 -----Square
- KWK 744A US26D -----Square
- KWK 750A US3 -----Square
- KWK 750A US26D -----Square

**Circa Knob**

- KWK 720CA US3 -----Square
- KWK 730CA US3 -----Square
- KWK 740CA US3 -----Square

**Hancock Knob                      Latch & Strike Corners**

- KWK 701H US11PRCL-RCS -----Round
- KWK 720H US3 -----Square
- KWK 730H US3 -----Square
- KWK 740H US3 -----Square
- KWK 740H L03 -----Square
- KWK 740H US5 -----Square
- KWK 741H US3 -----Square
- KWK 750H US3 -----Square

**Laurel Knob**

- KWK 720L US15 RCL-RCS -----Round
- KWK 720L US15A RCL-RCS -----Round
- KWK 730L US15 RCL-RCS -----Round
- KWK 730L US15A RCL-RCS -----Round
- KWK 740L US15 RCL-RCS -----Round
- KWK 740L US15A RCL-RCS -----Round

*Functions*

*Hall Closet*



KWK 720: Passage lockset. For all interior doors where a single latch is all that is required. Plan knob on both sides. Turning either knob will retract latchbolt at all times to open door. ANSI F75.

*Bed & Bath*



KWK 730: Privacy lockset. Turn button interior knob. Turn button locks both knobs. Lock may be opened by emergency entry key in exterior knob. ANSI F76.

*Entry*



KWK 740: Keyed exterior. Turn button interior will lock or unlock both knobs. ANSI F82.  
KWK 741: Same function as 740 except interior knob is independent and will always open door. ANSI F81.

*Classroom*



KWK 744: Key locks or unlocks outside knob. Inside always free. ANSI F84.

*Vestibule*



KWK 750: Outside knob unlocked only while key is turned. Inside always free.

*Entry Double Cylinder*




KWK 701: Both knobs lock or unlock simultaneously with key from either side. (Standard fits 1 3/8" to 1 5/8" doors).

*Half Dummy*



KWK 788: For doors where only a pull is required. Surface applied.

**KWIKSET MAXIMUM SECURITY GATE LATCHES**



The appearance of a deadbolt with convenience of a spring latch.

*Specifications*

Door Prep: Crossbore 2 1/8" or 1 1/2". Edge bore 1"

Backset: 2 3/8" or 2 3/4" adjustable

Door Thickness: 1 3/8" to 1 3/4"

Cylinder: 5 Pin

Door Handing: Reversible

*Functions*


Single Cylinder: Deadlatch operated by key outside and thumbturn inside

Double Cylinder: Deadlatch operated by key both sides

Part No.	Description
KWK 598 US3	Single Cylinder
KWK 598 US5	Single Cylinder
KWK 598 US26D	Single Cylinder
KWK 599 US3	Double Cylinder
KWK 599 US5	Double Cylinder
KWK 599 US26D	Double Cylinder

**KWIKSET ULTRAMAX SECURITY HANDLESETS**

*Solid Brass*



ARLINGTON

CHELSEA

SHERIDAN

*Specifications*

Door Prep: Front, 2 1/8" crossbore standard. Edge bore: 1".  
Latch face: 1" x 2 1/4"

Backset: *Deadbolt* — Adjustable deadbolt latch standard. Fits 2 3/8" or 2 3/4".  
*Plainlatch* — 2 3/8" and 2 3/4" adjustable corner

Door Thickness: 1 3/4" doors only. For 2 1/4" thick doors, special order. Not designed for use on 1 3/8" doors

Cylinder: 6-pin

**KWIKSET ULTRAMAX SECURITY HANDLESETS**


Faceplates: 1" x 2 1/4" square corner standard. Other options also available

Strikes: *Deadbolt* — maximum security 1 1/4" x 3 5/8" round corner standard. Maximum security 1 1/4" x 3 5/8" round corner optional  
*Plainlatch* — 2 1/4" high full lip

Bolt: *Deadbolt* — 1" throw, nickel plated steel  
*Plainlatch* — 1/2" throw, nickel plated

Door Handing: Reversible for right or left handed doors. Specify handing when ordering all levers as interior trim for exterior doors

ANSI/BHMA: A156.5 Grade 2 Deadbolt



Design	A	B	C	D
Arlington	217/32"	5 1/2"	11"	19 1/16"
Chelsea	25/32"	5 1/2"	9 11/16"	18 1/2"
Sheridan	23/32"	5 1/2"	11"	18 9/16"

**Arlington Handleset – Exterior Trim Only**

- KWK 800AN US3 RCL-RCS LIP
- KWK 800AN US5 RCL-RCS LIP

**Chelsea Handleset – Exterior Trim Only**

- KWK 800CE US3 RCL-RCS LIP
- KWK 800CE US5 RCL-RCS LIP
- KWK 802CE US3 RCL-RCS LIP
- KWK 802CE US10B RCL-RCS LIP

**Sheridan Handleset – Exterior Trim Only**

- KWK 800SN US3 RCL-RCS LIP

*Functions*



*Solid Brass Sectional Handleset with Single Cylinder Deadbolt and Matching Trim*


KWK 800: Thumbpiece operates handleset latch from exterior. Non-locking knob or lever operates latch from interior. Key operates deadbolt from exterior, turnpiece operates deadbolt from interior.

**Note:** Also available with interconnected interior trim. See following pages

KWK 802: Handle and grip act as a pull only. For inactive leaf of double doors. No operation.

- KWK 966 -----Single Cylinder
- KWK 967 -----Double Cylinder (F/O)
- KWK 968 -----Dummy

*Interior Trim Options\**



ABBEY (A)  
 KWK 966 A US3  
 KWK 968 A US5



HANCOCK (H)  
 KWK 966 H US3  
 KWK 966 A US5  
 KWK 966H US 10B



DELTA (DNL)  
 KWK 966 DNL US3

**Gibson Double Keyed Handleset**



Kwikset offers the Gibson Handleset which features both a keyed deadbolt and a keyed handleset as well.

*Specifications*

Door Prep: Deadbolt-crossbore 2 1/8" or 1 1/2".  
 Latch face: 1" x 2 1/4". Handle-crossbore 2 1/8". Edgebore and Latch Face the same.

Backset: Both adjustable 2 3/8" or 2 3/4"

Door Thickness: 1 3/4" standard, 2 1/4" optional

Cylinder: 5 Pin

Bolt: *Deadbolt* — 1" throw  
*Latch* — 1/2" throw

Door Handing: Reversible — specify handing for interior lever so requiring


ANSI/BHMA: A156.5 Grade 2 for handleset. A156.5 Grade 2 for deadbolt

*Stocked in the following function and finishes only, others available on F/O. Outside trim only, inside trim sold separately.*

**Part No.**

- KWK 553GN US3 RCL-RCS LIP
- KWK 553GN US5 RCL-RCS LIP


*Function*



*One piece handleset with a single cylinder deadbolt*  
 KWK553: Latchbolt operated by thumbpiece outside and grip inside, except when both are locked by key outside or turnbutton inside. Deadbolt operated by key outside or thumbturn inside.

**Note:** Stocked in single cylinder only. Other functions available on F/O. Also available with interconnected trim. See following pages

*Interior Trim Options*



ABBEY (A)  
 KWK 986 A US3  
 KWK 988 A US5



HANCOCK (H)  
 KWK 986 H US5



DORIAN (DNL)  
 KWK 986 DNL US3

\*Stocked as shown, other function, design and finish options available on F/O

**MAXIMUM SECURITY HANDLESET**

**Sonoma Handleset**




The Kwikset Sonoma maximum security handleset has the same specifications as the Gibson handleset except for its distinctive styling and single keyed operation.



*Outside trim only. Inside trim sold separately*

**Part No.**  
KWK 510SO US3 RCL-RCS LIP

**Function**



*Sectional handleset with a single cylinder deadbolt*  
KWK510: latchbolt operated by thumbpiece outside and grip inside. Deadbolt operated by key outside and thumbturn inside.

*(Stocked in single cylinder only. Other functions available on F/O)*


*Interior Trim Options*



POLO (P)  
KWK 471P US3




TYLO (T)  
KWK 471T US3




DORIAN (DNL)  
KWK 471DNL US3


**INTERCONNECTED KNOBS AND LEVERS**



ABBEY (A)




DORIAN (DNL)



HANCOCK (H)



KINGSTON (KNL)



LIDO (LL)



Security Knob

Kwikset interconnected locksets feature an adjustable center to center range. While the factory recommends 5 1/2" center to center, the distance can be anywhere from 2 7/8" to 6", making it the perfect lock for both replacement and new installations.

*Specifications*

Door Prep: 2 1/8" crossbore, 1" edge bore

Door Thickness: 1 3/4" only


Handing: Reversible-specify handing for Lido lever design

ADA: All lever options meet 4.12.9 ADA requirements

UL: Meets 1 1/2" hour fire rating of all UL functions

*Functions*

*Deadlocking Latch*



KWK 417UL or 479UL: Operated by grip either side except when locked by key outside and thumbturn inside. Deadbolt operated by key outside and thumbturn inside. Inside trip simultaneously retracts deadlatch and deadbolt. ANSI F96.

*Plain Latch*



KWK 418UL or 492UL: Operated by grip either side. Deadbolt operated by key outside and thumbturn inside. Inside grip simultaneously retracts deadlatch and deadbolt. ANSI 95.

*Stocked in the following function, design and finish combinations, others available on F/O*

Grade 2 Locks — 6 Pin Cylinder:

<b>Part No.</b>	<b>Design</b>
KWK 479UL A L03	Abbey
KWK 479UL DNL US15A	Dorian Lever
KWK 479UL H US3	Hancock
KWK 479UL KNL US3	Kingston
KWK 479UL KNL US26D	Kingston
KWK 479UL LL US3 LH	Lido Lever
KWK 479UL LL US3 RH	Lido Lever
KWK 492UL KNL US3	Kingston
KWK 492UL KNL US26D	Kingston


Grade 3 Locks — 5 Pin Cylinder:



Part No.	Design
KWK 417UL T US3 -----	Tylo
KWK 417UL T US5 -----	Tylo


*Interior Trim Options for handlesets*

*Functions*



*Interior Assembly Only*

KWK 394: Grip inside simultaneously retracts deadlocking latch and deadbolt latch when matched with handleset on outside. Thumbturn fits Gibson handleset only.



*Interior Assembly Only*

KWK 395 or 572: Grip inside simultaneously retracts plain latch and deadbolt when matched with handleset on outside.

Stocked in the following function, design and finish combination. Others, including dummies, are available on F/O

Part No.	For Series No.
KWK 394DNL US3 -----	553 Gibson
KWK 395DNL US3 -----	600 Series
KWK 395DNL US15A-----	600 Series
KWK 395LL US3 LH-----	600 Series
KWK 395LL US3 RH-----	600 Series
KWK 572A US5 -----	800 Series
KWK 572H US3 -----	800 Series
KWK 572LL US3 LH-----	800 Series
KWK 572LL US3 RH-----	800 Series

**Parts for 780 Series Deadbolts**

Part No.	Description
KWK 81327 US3 -----	Cylinder cover for 780
KWK 8327 US5-----	Cylinder Cover for 780
KWK 81328 US3-----	Interior cylinder Cover for 785
KWK 81328 US5-----	Interior Cylinder cover for 785
KK 81691 US3-----	Thick Door Kit for 780 17/8"-21/4"

**Round Pocket Door Lock**



Privacy Lock

Fits 2 1/8" bore, 2 3/8" backset. Reversible, 1 3/8" to 1 3/4" door thickness. Privacy function includes a 1 1/8" x 2 1/4" square corner strike with box and steel wood frame reinforcement.

*Passage*


Part No.
KWK 334 US3
KWK 334 US5
KWK 334 US15
KWK 334 US15A

*Privacy*

Part No.
KWK 335 US3
KWK 335 US5
KWK 335 US15
KWK 335 US15A

**KITS**

**Door Lock Installation Kit**



*Installation Kit Includes:*

- Jig
- 2 1/8" multi-spur bit
- 1" spade bit
- 2 1/8" hole saw
- Hole saw mandrel
- 1 1/2" multi-spur bit
- 1 1/2" ring adapter
- 663 boring depth stop
- Wood and metal in-line arm guides
- Mortise tools (strike, latch & 780 max security) with square and round corner blades

**Part No.:**  
KWK 138

**Pin Kits and Tools**



Part No.	Description
KWK 236 -----	Small, Builder Pin Kit
KWK 272 -----	Pin Kit
KWK 80049 -----	Key Gauge
KWK 80152 -----	Following Tool
KWK 81467 -----	Cyl. Removal Tool
KWK 81777 -----	Tumbler springs


**LATCHES AND DEADBOLTS**

**6-Way Core**



Part No.	Description
KWK 81846	6-Way Core Deadlatch
KWK 81847	6-Way Core Plain Latch


**RC/SC/DI Service Kit**



- Specify Finish

Part No.	Description
KWK 81844	6-Way Deadlatch Service Kit
KWK 81845	6-Way Plain Latch Service Kit

**5L Latch**




- Specify Finish
- Kwikset Security
- 5" Backset

Part No.	Description
KWK 83014*	5L Latch

*\*May also be used in place of a plain latch for applications requiring this backset*

**980 Series**

AL




- Specify Finish
- Kwikset UltraMax Security Standard
- Adjustable Backset

Part No.	Description
KWK 81253	980 Series AL Deadbolt

**780 Series**


AL



- Specify Finish
- Kwikset Security Standard
- Adjustable Backset

Part No.	Description
KWK 86084 US3	780 Series AL Deadbolt


RFAL



- Specify Finish
- Kwikset Security Standard
- Adjustable Backset

Part No.	Description
KWK 84504	780 Series RFAL Drive-in Deadbolt

**580 Series Gatelatch**




- Specify Finish
- Kwikset Security
- 2<sup>3</sup>/<sub>8</sub>" Backset

Part No.	Description
KWK 83277	580 Series Gatelatch

**660 Series**


SQL



- Specify Finish

Part No.	Backset
KWK 82728	2 <sup>3</sup> / <sub>8</sub> "
KWK 82729	2 <sup>3</sup> / <sub>4</sub> "


RCL



- Specify Finish

Part No.	Backset
KWK 82731	2 <sup>3</sup> / <sub>8</sub> "
KWK 82732	2 <sup>3</sup> / <sub>4</sub> "


RFL



- Specify Finish

Part No.	Backset
KWK 82734	2 <sup>3</sup> / <sub>8</sub> "
KWK 82735	2 <sup>3</sup> / <sub>4</sub> "


5L



- Specify Finish
- Kwikset Security
- 5" Backset

Part No.	Description
KWK 82730	660 Series 5L Deadbolt

AL




- Specify Finish
- Kwikset Security Standard
- Adjustable Backset

Part No.	Description
KWK 81308*	660 Series AL Deadbolt

*\*Will not work with 663*

RCAL




- Specify Finish
- Kwikset Security Standard
- Adjustable Backset

Part No.	Description
KWK 81305*	660 Series RCAL Deadbolt

*\*Will not work with 663*

RFAL



- Kwikset Security Standard
- Adjustable Backset

Part No.	Description
KWK 81306*	660 Series RFAL Drive-in Deadbolt

*\*Will not work with 663*


**KEY BLANKS**



Part No.	Description
KWK 81063	-----15 Pin Nickel Plated Key Blank
KWK 83559	-----6 Pin Key Blank (large bow)
KWK 81087	-----Emergency Key for Privacy
KWK 87615	-----KB Rekeying Tool
KWK 81208	-----6 Pin (Ultra Max)
KWK 81804	-----Titan Cylinder Rekeying Tool


**ACCESSORIES: STRIKES, ROSETTES, & TRIM**

**Latch Strikes**



Part No.	Description	Dimensions	Corner
KWK 83796	-----1/4" Radius (RCS4)	-----13/16" x 2 1/4" Lip	-----1/4" Radius
KWK 83437	-----Std. Entry Lockset	-----1 1/4" x 2 1/4" Lip	-----Sq. Corner
KWK 83028	-----Metal Jamb Strike	-----1 1/8" x 2 3/4"	-----Sq. Corner
KWK 83846	-----Metal Jamb ASA1	-----1 1/4" x 4 7/8"	-----Sq. Corner


**Deadbolt Strikes — Kwikset & Titan**



Part No	Description	Dimensions	Corner
KWK 83222	-----Max. Security Deadbolt	-----1 1/4" x 3 5/8"	-----Sq. Corner
KWK 83223	-----Max. Sec. 1/4" Deadbolt	-----1 1/4" x 3 5/8"	-----Rnd. Corner
KWK 85072	-----Std. Deadbolt	-----1" x 2 1/4"	-----Sq. Corner

**Decorative Rosettes**

Fit 2 3/8" or 2 3/4" Backset.



Part No.	Description	Dimensions
KWK 239 CP US3	---Curved Colonial Handle US3	
KWK 239 CP US5	---Curved Colonial Handle US5	
KWK 293 CP US3	---Round Rosette	-----3 13/16"
KWK 293 CP US5	---Round Rosette	-----3 13/16"

**Escutcheon Trim**



Escutcheon plate for two locks. Overall 3 1/2" x 8 1/2", 2 1/8" holes 3 5/8" center to center.


Part No.
KWK 262CP US3
KWK 262CP US5



Rectangular escutcheon plate with 2 1/8" hole. Overall 3 7/8" x 4 1/8"

Part No.
KWK 288CP US3
KWK 288CP US26D

**Modernization Kits**



Includes 2 large trim plates, latch and strike plate.

Part No.	Description	Dimensions
KWK 214 CP US3	-----Lrg Kit	-----3 1/2" x 10 1/2"
KWK 214 CP US26D	-----Lrg Kit	-----3 1/2" x 10 1/2"
KWK 215 CP US3	-----Sm Kit	-----7 1/4" x 3 3/8"
KWK 215 CP US26D	-----Sm Kit	-----7 1/4" x 3 3/8"

**Kwikset Replacement Parts**

Part No.	Description
KWK 1850 US3	-----Standard 400 Cylinder Assembly with 2 keys